

diffusion-fundamentals

The Open-Access Journal for the Basic Principles of Diffusion Theory, Experiment and Application

Understanding the Loading Dependence of Self-Diffusion in Carbon Nanotubes

S. Jakobtorweihen¹, C. P. Lowe², F. J. Keil¹, B. Smit^{2,3}

¹Hamburg University of Technology, Chemical Reaction Engineering, Eissendorfer Str.
38, D-21073 Hamburg, Germany

²Van 't Hoff Institute for Molecular Sciences (HIMS), University of Amsterdam, Nieuwe Achtergracht 166, 1018 WV Amsterdam, The Netherlands

³CECAM (Centre Européen de Calcul Atomique Moléculaire), Ecole Normale Supérieure, 46 Allée d'Italie, 69364 Lyon Cedex 7, France

Abstract

The influence of loading on the self-diffusion in an isolated single walled carbon nanotube is studied by molecular dynamics simulations. By simulating the carbon nanotube as a flexible framework we demonstrate that the flexibility has a crucial influence on self-diffusion at low loadings [1]. While simulating the nanotube as rigid a remarkable increase of the diffusion coefficient at low loadings is observed [2]. Molecular dynamics simulations of a fully flexible nanotube result in a far less pronounced increase, by a further reduction of the loading the diffusion becomes constant again.

To incorporate the influence of the flexible walls in a simulation of a rigid nanotube, we have introduced a Lowe-Andersen thermostat which works on interface-fluid collisions [1]. The reproduction of the results of a flexible carbon nanotube by a rigid nanotube simulation is excellent. With this approach we simulate the loading dependent self-diffusion in carbon nanotubes. The influence of pore width and temperature on self-diffusion is studied. Furthermore, the influence of adsorption strength is investigated by comparing the self-diffusivities of different components. For small pores, in which the molecules cannot pass each other, single-file diffusion is observed under certain conditions.

References

- [1] S. Jakobtorweihen, M.G. Verbeek, C.P. Lowe, F.J. Keil, B. Smit, Phys. Rev. Lett., in press.
- [2] A.I. Skouidas, D.M. Ackerman, J.K. Johnson, D.S. Sholl, Phys. Rev. Lett. 89 (2002) 185901